

MAJOR APPLIANCES

Refrigeration.....	18
Stainless refrigeration	21
Ice makers/refrigeration spare parts	22
Diesel heaters	23
Microwaves.....	24
Rangehoods	25
Rangehood spare parts.....	26
Washing machines	27
Washing machine spare parts.....	28
Air conditioning	30
Spare parts.....	31





REFRIGERATION



Exclusive to Camec, Vitrifrigo is a leading worldwide company specialising in industrial refrigeration. Vitrifrigo utilises advanced research and development programs to provide high-quality design, functionality and performance of every product.



VITRIFRIGO 12-24V C42L FLUSH MOUNT EXTERNAL COMPRESSOR WITH AIR LOCK
043935

SPECIFICATIONS:

- 0.8mm laminate panel to replace the 3mm MDF for a more elegant & upmarket finish
- Door inside: 379 x 395 x 533mm
- Door outside: 337 x 395 x 533mm
- Mounting Flange: 25 x 569 x 443mm
- Fridge Dimensions: 380mm(w) x 342mm(d) x 532mm(h)
- Weight: 16kg
- Capacity: 42L. Freezer Capacity: 3.6L



VITRIFRIGO C60L FRIDGE 12-24V WITH FITTING FRAME AND AIR LOCK
043584

SPECIFICATIONS:

- 0.8mm laminate panel to replace the 3mm MDF for a more elegant & upmarket finish
- Door Inside: 453 x 485 x 623mm
- Door Outside: 410 x 485 x 623mm
- Mounting Flange: 659 x 533 x 25mm
- Fridge Dimensions: 470mm(w) x 622mm(h) x 415mm(d)
- Weight: 20kg
- Capacity: 60L. Freezer Capacity: 10.2L

Built in fridge/freezers suitable for RV and marine use, complete with an air front operated lock.

FEATURES:

- Sturdy lock construction
- Venting position
- One fitting frame for both door outside & door inside installation
- Insulated freezer door & 3 star freezer compartment
- Reversible fridge door
- Shaped extrusion & increased insulation on door
- Compliant with food health & safety regulations for cleaning & HACCP compliant
- 2 year warranty



VITRIFRIGO 12-24V C62I FRIDGE FLUSH MOUNT WITH AIR LOCK
043696

SPECIFICATIONS:

- 0.8mm laminate panel to replace the 3mm MDF for a more elegant & upmarket finish
- Door Inside: 554 x 465 x 533mm
- Door Outside: 512 x 465 x 533mm
- Mounting Flange: 25 x 513 x 586mm
- Fridge Dimensions: 450mm(w) x 530mm(h) x 517mm(d)
- Weight: 18kg
- Capacity: 60L. Freezer Capacity: 4.5L



VITRIFRIGO 12-24V C75L FLUSH MOUNT EXTERNAL COMPRESSOR WITH AIR LOCK
043936

SPECIFICATIONS:

- 0.8mm laminate panel to replace the 3mm MDF for a more elegant & upmarket finish
- Door Inside: 456 x 485 x 623mm
- Door Outside: 413 x 485 x 623mm
- Mounting Flange: 25 x 533 x 659mm
- Fridge Dimensions: 470mm(w) x 418mm(d) x 622mm(h)
- Weight: 20kg
- Capacity: 75L. Freezer Capacity: 10.2L



VITRIFRIGO C85LFRIDGE 12-24V WITH FITTING FRAME AND AIR LOCK
043583

SPECIFICATIONS:

- 0.8mm laminate panel to replace the 3mm MDF for a more elegant & upmarket finish
- Door Inside: 464 x 500 x 792mm
- Door Outside: 422 x 500 x 792mm
- Mounting Flange: 25 x 548 x 829mm
- Fridge Dimensions: 485mm(w) x 791mm(h) x 427mm(d)
- Weight: 25 KG
- Capacity: 85L. Freezer Capacity: 12.8L

VITRIFRIGO

COOL AND BEYOND

Exclusive to Camec, Vitrifrigo is a leading worldwide company specialising in industrial refrigeration. Vitrifrigo utilises advanced research and development programs to provide high-quality design, functionality and performance of every product.



Built in fridge/freezers suitable for RV and marine use, complete with an air front operated lock.

FEATURES:

- Sturdy lock construction
- Venting position
- One fitting frame for both door outside & door inside installation
- Insulated freezer door & 3 star freezer compartment
- Reversible fridge door
- Shaped extrusion & increased insulation on door
- Compliant with food health & safety regulations for cleaning & HACCP compliant
- 2 year warranty

VITRIFRIGO 12-24V C90I FRIDGE FLUSH MOUNT WITH AIR LOCK

043695

SPECIFICATIONS:

- 0.8mm laminate panel to replace the 3mm MDF for a more elegant & upmarket finish
- Door Inside: 552 x 485 x 623mm
- Door Outside: 510 x 485 x 623mm
- Mounting Flange: 25 x 659 x 533mm
- Fridge Dimensions: 470mm(w) x 622mm(h) x 515mm(d)
- Weight: 22kg
- Capacity: 90L. Freezer Capacity: 9.1L

VITRIFRIGO C115ILFRIDGE USA 12-24V AIR LOCK

043587

SPECIFICATIONS:

- 0.8mm laminate panel to replace the 3mm MDF for a more elegant & upmarket finish
- Door Inside: 556 x 540 x 768mm
- Door Outside: 513 x 540 x 768mm
- Mounting Flange: 804 x 588 x 25mm
- Fridge Dimensions: 525mm(w) x 766mm(h) x 518mm(d)
- Weight: 23kg
- Capacity: 115L. Freezer Capacity: 17.1L



VITRIFRIGO C130L FRIDGE 12-24V WITH FITTING FRAME & AIR LOCK

043585

SPECIFICATIONS:

- 0.8mm laminate panel to replace the 3mm MDF for a more elegant & upmarket finish
- Door Inside: 560 x 540 x 768mm
- Door Outside: 518 x 540 x 768mm
- Mounting Flange: 804 x 588 x 25mm
- Fridge Dimensions: 525mm(w) x 767mm(h) x 523mm(d)
- Weight: 27kg
- Capacity: 130L. Freezer Capacity: 17.1L

VITRIFRIGO DP150I FRIDGE/FREEZER 120/30LTR 12/24V

000577

SPECIFICATIONS:

- Dimensions: 1095mm(h) x 525mm(w) x 530mm(d)
- Capacity: 150 Litres
- Capacity Freezer: 30 Litres
- Power Voltage: 12/24
- Nominal Input: 54.5 W
- Average Consumption: 42 W/H
- Cooling Unit: Internal
- Net Weight: 43kg

VITRIFRIGO DP2600I FRIDGE/FREEZER 12-24V WITH AIRLOCK

044012

FEATURES:

- Supplied with internal compressor and cooling unit fitted at the base
- Standard door finish is an interchangeable Black panel
- Internal light as standard
- Temperature controlled by a mechanical thermostat
- Supplied with two upper shelves, lower shelf and vegetable bin
- Airlock locking system

SPECIFICATIONS:

- Power: 12/24 volts
- Capacity: 230 litres, 170 litre fridge, 60 litre freezer
- Current Amps: 4.4/2.2
- Absorption: 0.83kW/24h
- Dimensions: 1355mm(h) x 630mm(w) x 602mm(d)

REFRIGERATION



Exclusive to Camec, Vitrifrigo is a leading worldwide company specialising in industrial refrigeration. Vitrifrigo utilises advanced research and development programs to provide high-quality design, functionality and performance of every product.

FEATURES:

- Flu kit included
- External vents are highly recommended for all 3 Way fridges (001184 bottom vent, 001185 top vent) - not included



VITRIFRIGO VF060-E 3 WAY 60L 230V/12V/GAS 004043

SPECIFICATIONS:

- Fully NZES Compliant
- Capacity: 51 litres
- Freezer Capacity: 6.9 litres
- Dimensions: 485mm(w) x 471mm(d) x 615mm(h)
- Weight: 25.2kg
- Power: 230/12v



VITRIFRIGO VF5090-E 3 WAY 90L 230V/12V/GAS 004045

SPECIFICATIONS:

- Fully NZES Compliant
- Capacity: 84 litres
- Freezer Capacity: 11 litres
- Dimensions: 485mm(w) x 546mm(d) x 823mm(h)
- Weight: 30kg
- Power: 230/12v



VITRIFRIGO VF5105-E 3 WAY 105L 230V/12V/GAS 004046

SPECIFICATIONS:

- Fully NZES Compliant
- Capacity: 92 litres
- Freezer Capacity: 12.3 litres
- Dimensions: 525mm(w) x 546mm(d) x 810mm(h)
- Weight: 31.3kg
- Power: 230/12v



VITRIFRIGO FRIDGE 150 LITRE 3 WAY (DG) 004048

With separate freezer.

SPECIFICATIONS:

- Fully NZES Compliant
- Capacity: 150 litres
- Freezer Capacity: 25.2 litres
- Dimensions: 525mm(w) x 546mm(d) x 1245mm(h)
- Weight: 48.6kg
- Power: 230/12v





VITRIFRIGO C62IX STAINLESS STEEL 12/24V 62L FRIDGE FREEZER WITH STEELLOCK
044015

Built in fridge/freezers suitable for RV and marine use complete with Steelock.

FEATURES:

- Steelock top locking system
- Total built-in mounting flange
- LED lighting

SPECIFICATIONS:

- 4.5L Freezer compartment
- Dimensions: 513mm(w) x 535mm(h) x 550mm(d)
- Weight: 20kg
- Power Voltage: 12/24V
- Nominal Consumption: 40W



VITRIFRIGO DP2600 IX V12/24V S/S STEELLOCK
043983

Huge capacity and features a large separate freezer compartment for long term storage of frozen foods. The DP2600iX, has a flush mount surround for ease of installation. The refrigerators with internal cooling units are easy to install because the cooling unit is mounted directly onto the refrigerator cabinet. These units are recommended in all applications where there is sufficient ventilation around the refrigerator, especially behind it, near the cooling unit.

FEATURES:

- Stainless Steel finish
- 2 door (separate freezer)
- Internal cooling unit
- Reversible door hinge
- LED light in Freezer and Fridge
- Super silent operation
- Replaceable door insert (Stainless steel included)

SPECIFICATIONS:

- Voltage: 12V-24V
- Overall Capacity: 230L
- Freezer Capacity: 60L
- Overall Dimensions: 631mm(w) x 1354mm(h) x 602mm(d)
- Cut-out Required - Flush: 595mm(w) x 1334mm(h) x 602mm(d)
- Weight: 62kg
- Nominal Consumption: 65w



VITRIFRIGO STAINLESS STEEL SINGLE DRAWER FRIDGE
000589

The latest freezer from Vitrifrigo.

SPECIFICATIONS:

- Capacity: 66 Litres
- Dimensions 618mm(w) x 449mm(h) x 591mm(d)
- Power Voltage: 12/24
- Cooling Unit: Internal
- Weight: 32kg



VITRIFRIGO STAINLESS STEEL DOUBLE DRAWER FRIDGE AND FREEZER
000545 FRIDGE/FRIDGE
000588 FRIDGE/FREEZER

The latest fridge from Vitrifrigo. Dual sliding draws.

FEATURES:

- 80L top drawer/ 64L bottom drawer
- Integrally mounted compressor system

SPECIFICATIONS:

- Dimensions: 617mm(w) x 357mm(h) x 590mm(d)
- Power Voltage: 12/24V
- Cooling Unit: Internal
- Weight: 55kg
- Current Consumption: 12V 2.8A
- Capacity: 144 Litres



VITRIFRIGO DW180.2 DRAWER FRIDGE/FREEZER 144L STAINLESS STEEL 12/24V
044261

Elegant design with a number of configuration options. Steelock option shown.

FEATURES:

- 80L top drawer/ 64L bottom drawer
- Integrally mounted compressor system

SPECIFICATIONS:

- Dimensions: 617mm(w) x 357mm(h) x 590mm(d)
- Weight: 55kg
- Power Voltage: 12/24V
- Current Consumption: 12V 2.8A
- Capacity: 144 litres



VITRIFRIGO ICEMAKER
043560

IM Hydro 240V. 6m hose xtp with flush surround.

FEATURES:

- 24L Capacity
- Cooling unit is vented through the front of the icemaker
- Door can be mounted left or right and has magnetic closure.
- Dual function thermostat ice production/ice maintenance

SPECIFICATIONS:

- Dimensions: 387mm(w) x 522mm(h) x 513mm(d)
- Ice production: 11kg/24 hrs; 6kg ice storage
- Weight: 28kg
- Power Voltage: 240V
- Current Consumption: 140W
- Flush mount surround included

ICE MAKERS / REFRIGERATION SPARE PARTS



VITRIFRIGO ICE MAKER HYDRO 24L 240V
043253

Classic Ice Maker that is plumbed to the vessel or RV's fresh water system. Constructed from marine grade 316 stainless steel.

FEATURES:

- Cooling unit is vented through the front
- Door can be mounted left or right and has magnetic closure
- Dual function thermostat – ice production/ice maintenance

SPECIFICATIONS:

- Dimensions: 357mm(w) x 630mm(h) x 370mm(d)
- Ice Production: 11kg/24hrs; 6kg ice storage
- Weight: 26kg
- Power Voltage: 240V or 110V version
- Current Consumption: 140W
- Includes 6m inlet hose (can be reduced)
- Capacity: 24 litres



VITRIFRIGO C37L FRIDGE D299 12/24V
044177

Top loading refrigerator with external cooling unit.

FEATURES:

- Top loading
- External cooling unit

SPECIFICATIONS:

- Weight: 15kg
- Power supply: 12/24V
- Nominal consumption: 45W
- Dimensions: 410mm(w) x 410mm(h) x 410mmD
- Capacity: 37l



VITRIFRIGO C55BT FREEZER 12/24V
044178

Marine Freezer with external cooling unit (to be installed in ventilated areas) with easy to clean stainless steel or aluminium interior and evaporator installed within the box

FEATURES:

- Flush flange
- 3 compartments

SPECIFICATIONS:

- Weight: 26kg
- 12.24V
- Rated current: 3.0A/1.5
- Nominal consumption: 35W
- Absorption power: 0.74kW 24h
- Dimensions: 470mm(w) x 622mm(h) x 459mm(d)
- Capacity: 56l



COMPRESSOR - 12/24V ND20/35QC
000657

Suitable for PT and S plates. Pre-gassed and quick coupled.

SPECIFICATIONS:

- Dimensions: 280mm(l) x 150mm(w) x 170mm(w)



12V COOLING FAN
000592

SPECIFICATIONS:

- Dimensions: 120mm(w) x 120mm(h) x 25mm(d)
- 12V .24A



VENTING KIT
001287

1 x upper vent with fans/thermostat, 1 x lower vent



COLD PLATE
000822

Pre-gassed and quick coupled for easy connection to compressor.

Litres are shown in capacity for FRIDGE only. If you want FREEZER capacity you must halve the capacity of the plate. i.e PT3QC: 40 Litre freezer capacity.

SPECIFICATIONS:

- Dimensions: 585mm(w) x 210mm(h)



FRIDGE VENT

001184 LOWER FRAME AND GRID
001185 UPPER FRAME AND EXHAUST

Cut out size: 450 x 150mm.

Overall size: 480 x 190mm.



WEBASTO AT2000STC DIESEL HEATERS
043939 1 OUTLET
043940 2 OUTLET

The Webasto Air Top 2000STC diesel heater operates quietly while consuming minimal electrical power and fuel. Enjoy precise and constant temperatures inside your Motorhome at any altitude and in any weather condition.

FEATURES:

- Thermostatically controlled - choose between Rotary (043941) or Programmable Multi Control (043300) Not included
- Low power consumption
- Low fuel consumption
- Compact space saving size
- Short heat-up times
- Dehumidifies the cabin
- Combustion exhausted externally
- Exhaust muffler
- Floor mounting bracket

SPECIFICATIONS:

- Fuel: diesel
- Complete 1 and 2 outlet accessories kits
- Dimensions: 311mm (l) x 120mm (w) x 121mm (h)
- Weight: 2.6kg
- Power: 12v



WEBASTO FUEL TANK 12L
041511

With sight glass and quick coupling. Installation kit included.

SPECIFICATIONS:

- Dimensions: 405mm(w) x 405mm(w) x 42mm(d)



WEBASTO HEATER AIR DUCTING
002767 60MM
002768 80MM
002769 90MM

Sold per metre.



WEBASTO EXHAUST MUFFLER SILENCER KIT
002796

22mm. Includes 2x hose clamps. AT20200.



WEBASTO PROGRAMMABLE DIGITAL MULTI CONTROLLER
043300

Programmable multifunctional control with mounting bracket. Suits Webasto AT2000STC and EVO40 diesel heaters.



ROTARY CONTROLLER
043941

Simply turn the hand control dial to start the heater and set your desired temperature.

Suits Webasto AT2000STC & EVO40 diesel heaters.



WEBASTO "90°" ELBOW
002784

Direct off AT2000 heater. 60mm



WEBASTO "Y" JUNCTION
002789 90X80X80MM
002770 80X80X80MM
002809 60X60X60MM



WEBASTO DUCT "T" JUNCTION
002783

60 X 60 X 60mm 86643A.



EVO 40 4KW DIESEL FUELED, BLOWN AIR DUCTABLE HEATER
042878 ROTARY CONTROL
042879 DIGITAL MULTI CONTROL

The Webasto EVO40 air heater combines flexibility, functionality and product quality through innovation, while maintaining the traditional Webasto Air Heater design. Ideal for the larger recreational Vehicle. Price Includes the controller.

FEATURES:

- Supplied with rotary or multi controller
- Thermostatically controlled
- Low power & fuel consumption
- Compact space saving size
- Short heat-up times
- Dehumidification of the cabin
- Quiet when running
- Combustion exhausted externally
- Exhaust muffler
- Floor mounting bracket
- Includes controller

SPECIFICATIONS:

- Fuel: diesel
- Complete 2 outlet accessories kit
- Dimensions: 423mm(l) x 148mm(w) x 162mm(h)
- Weight: 5.9kg
- Power: 12v



WEBASTO DUCTING OUTLET VENTS

- 002777 80MM OPEN
- 002778 80MM 45° OPEN
- 002791 90MM OPEN
- 002792 60MM OPEN
- 002822 60MM CLOSEABLE

WEBASTO SPARE PARTS

- 001471 FUEL FILTER AT2000/3500 REPLACEMENT FUEL FILTER FOR AT2000/3500.
- 002776 HEATER ON/OFF SWITCH
- 041696 FUEL PICKUP SUIT FIAT DUCATO
- 002794 EXTERNAL TEMP. SENSOR
- 002799 EXHAUST CLAMP 24-26MM AT2000.
- 044411 FUEL WIRING HARNESS DP42 7000LG
- 044040 KIT USER INTERFACE MC04 12/24V EVO MARINE
- 002801 FUEL PUMP HARNESS ONLY
- 002805 FUEL PUMP HARNESS COMPLETE
- 002810 HULL FITTING 24MM 90°
- 002845 AT2000ST PENCIL GLOW PLUG 12V
- 002848 BURNER INSERT FOR AT2000ST
- 044411 FUEL WIRING HARNESS DP42 7000LG
- 041123 DUCTING OUTLET 55MM STRAIGHT OPEN
- 043218 AT2000ST MAIN HARNESS
- 043219 AT2000ST EXTENSION B EXTENSION 1800MM

HEATERS



PROPEX BLOWN AIR HEATER 12V VEHICLE
 002577 2.0KW HEATER
 002567 2.8KW HEATER

FEATURES:

- Quiet thermostatic operation
- Stainless steel burner and heat-exchanger with clean combustion gives maintenance free durability
- Low power consumption
- Compact and easy to install
- High quality motor with ball race bearings

SPECIFICATIONS:

	2 KW HEATER	2.8 KW HEATER
Heat Input	2.1kw	3.0kw
Heat Output	1.9kw	2.8kw
Voltage	12v	12v
Power consumption	1.4A continuous	1.9A continuous
Air Throughput	60 C.F.M	85 C.F.M
Fuel	LPG/Butane/Prop	LPG/Butane/Prop
Length (mm)	320	415
Width (mm)	172	210
Height (mm)	100	120

SPARE PARTS

- 002559 ELECTRONIC BOARD FOR PROPEX HS2000CE-6HC252
- 002578 HOT AIR OUTLET (NON CLOSE) FOR HS2000 OPEN OUTLET VENT T/S 002567 80MM.
- 004340 HEATER AIR INTAKE HOSE 22MM DIAMETER X 750MM LENGTH
- 004182 5 WIRE PROPEX AIR HEATER 2KW THERMOSTAT
- 044416 6 WIRE PROPEX AIR HEATER 2KW THERMOSTAT
- 004188 3 PIN LOOM FOR NEW PROPEX 002577
- 004189 6 PIN LOOM FOR NEW PROPEX 002577
- 004181 OMRON CIRCUIT BOARD T/S NEW 002577
- 002558 2KW THERMOSTAT 5 WIRE RED/GREEN LEADS
- 001408 PLASTIC DUCT HDPE 3MTR X 100MM
- 001552 60MM DUCTING (THRU VEHICLE)
- 001555 22MM EXHAUST PIPE FOR SA1950/64
- 002554 SOLENOID FOR 1.8KW HEATER
- 002555 ELECTRONIC BOARD FOR 2.8KW HEATER
- 002556 SOLENOID FOR 2.8KW HEATER
- 002562 AIR HEATER 1.8KW THERMOSTAT SA1950
- 002563 HEATER CONTROL KNOB
- 002564 ELECTRONIC BOARD FOR 1.8KW HEATER
- 002565 12V IGNITOR CIRCUIT BOARD 1.8KW
- 002571 HEATER EXHAUST S/STEEL 26MM SA1956
- 002579 OUTLET REDUCING ADAPTOR NON CLOSE TO 60MM
- 002580 SPARK ELECTRODE IGNITER T/S 002577
- 002582 MOTOR T/S 002577
- 002583 WIRING LOOM COMPLETE 2 CORE 002577
- 002584 WIRING LOOM COMPLETE 5 CORE 002577
- 002585 WIRING LOOM COMPLETE FOR 1.8KW BLOWN AIR HEATER
- 040705 PART 117 THERMAL CUTOUT FOR MODEL HS2000 AIR HEATER
- 040706 PART 113 AIRFLOW SENSOR FOR MODEL HS2000 AIR HEATER
- 040781 PART P150 AIRFLOW CONV KIT OMRON AIR FLOW SENSOR
- 043019 HOT AIR FAN FOR HS2000
- 043020 COMBUSTION AIR FAN HS2000
- 044101 HEATER BRACKETS S/S FOR 2KW HEATER
- 004183 OMRON CONVERSION KIT T/S NEW 002577
- 004187 OMRON AIR SENSOR T/S NEW 002577

MICROWAVES



CAMEC MICROWAVE 20 LITRE 700 WATT
 044431

Compact design microwave with easy to read LCD display and simple operation so you can be cooking in no time! Includes 5 power levels, preset mode - allows you to program the microwave to start at a later time, one-touch Quick Start cooking, auto defrost, auto cook modes make cooking or heating common items quick and easy. Simply select the food type then select either the weight or quantity to start.

Cooking/heating modes include: Milk/coffee, rice, spaghetti, potatoes, auto reheat, fish and pizza popcorn.

FEATURES:

- Latest design
- Digital control
- 8 Auto Cook modes
- Clock
- Blue LCD display
- Quick Start cooking
- Auto Defrost
- Delayed start cooking
- Multi stage cooking
- Child lock
- 12 month warranty

SPECIFICATIONS:

- Dimensions: 452mm(w) x 262mm(h) x 333mm(d)
- Weight 10.5kg
- 700W output/1200W input
- 240V operation



CAMEC MICROWAVE 25 LITRE 900 WATT
 041439
 043520 GLASS TRAY

Designed with the RV market in mind, our microwave features a large mirror finish door that is an ideal match for modern RVs and cookers with mirror top lids.

FEATURES:

- Auto Cook with 8 pre-set common food settings
- Stylish design to suit RVs
- 5 selectable power levels
- Easy defrost mode

SPECIFICATIONS:

- Dimensions: 483mm(w) x 281mm(h) x 399mm(d)
- Weight: 14.8kg
- 900W output/1400W input
- 240V operation





CAMEC RANGEHOOD 12V 2-SPEED LED DOWN LIGHTS
040864

Stainless Steel finish with twin turbo extraction fans and dual low energy LED down lights. Also features a removable filter for easy cleaning and illuminated touch controls. Venting is rear or roof selectable and an optional 50mm venting adaptor (041132) is also available if a venting hose is required.

FEATURES:

- Illuminated control buttons
- Powerful 12V turbo 2 speed twin extractor fans
- Convenient roof or rear air venting
- Removable filter for easy cleaning and replacement.

SPECIFICATIONS:

- 2 low energy LED down lights
- Dimension: 586mm(l) x 305mm(w) x 60mm(h)



CAMEC 12V TURBO FLUSH MOUNT RANGEHOOD
040865

With a stainless steel exterior and featuring proven components, powerful twin 2-speed extraction fans, removable filter and stylish custom LED strip lighting, CAMEC's 12V Turbo Flush Mount Rangehood is a great addition to any RV. This rangehood is equipped with twin high performance turbo dual speed fans (not just computer fans) connected to a custom vented ducting system to ensure the swift removal of cooking vapours, odours and heat. Ducting can be directed either through the side or rear of the unit simply by changing the position of the supplied outlet adaptor.

FEATURES:

- Convenient side or rear air venting
- Removable filter for easy cleaning and replacement
- Illuminated, reliable control buttons
- 2 bright LED strip lights
- Stainless steel construction
- Proven design components
- Powerful 12V 2 speed twin turbo extractor fans

SPECIFICATIONS:

- Mounting Cavity - 465mm(w) x 187mm(d) x 53mm(h)
- External Body - 518mm(w) x 228mm(d) x 15.6mm(h)

SUPPLIED ACCESSORIES:

- Outlet adaptor
- 0.5m flexible duct hose

RANGEHOOD SPARE PARTS



REPLACEMENT LED DOWN LIGHT LONG LEAD TO SUIT CAMEC 12V RANGEHOOD
041751
Sold individually.



REPLACEMENT LED DOWN LIGHT SHORT LEAD (PCB SIDE) TO SUIT CAMEC 12V RANGEHOOD (REFER CODE 040864)
041762
Sold individually.



REPLACEMENT FILTER TO SUIT CAMEC 12V RANGEHOOD
041755 SUIT 040864
043902 SUIT 040865



REPLACEMENT FAN TO SUIT CAMEC 12V RANGEHOOD
041477 TO SUIT 040864
043901 TO SUIT 040865



REPLACEMENT SWITCH PANEL TO SUIT CAMEC 12V RANGEHOOD (REFER CODE 040864 AND 040865)
041753



REPLACEMENT CIRCUIT BOARD TO SUIT CAMEC 12V RANGEHOOD (REFER CODE 040865 & 040864)
044467



REPLACEMENT FRONT STICKER TO SUIT CAMEC 12V RANGEHOOD (REFER TO CODE 040864)
041754



OUTLET ADAPTOR TO SUIT CAMEC 12V RANGEHOOD (REFER CODE 040864 AND 040865)
041132
Outlet Adaptor for Camec 12V Rangehood.



CAMEC RANGEHOOD DUCT TUBE BLACK
043903 0.5M



COMPACT RV 4KG FRONT LOAD WASHING MACHINE
042308

With a large 4kg capacity for its size, you can now enjoy all of the features and wash modes you are accustomed to with your home machine, right in your RV. Requiring only a cold water supply hot water washing is possible using the machine's in-built heater element.

FEATURES:

- 15 wash programs including 3 quick wash modes (14, 30 and 59 min)
- 400-1000 RPM spin speed (adjustable)
- Special AQUAPLUS "delicate skin" wash mode
- Auto water level control
- Delayed start option
- Bi-directional wash selector knob
- Wash time remaining display

SPECIFICATIONS:

- 240V operation
- Weight: 47kg
- Dimensions: 510mm(w) x 430mm(d) x 700mm(h)
- Water Usage: Min 19L, max 45L depending on load size and wash cycle
- 1300W max power consumption (hot wash)
- 230W power consumption (cold wash)
- 12 month warranty



CAMEC COMPACT RV 3.0KG WASHING MACHINE
044131

Our latest top load washing machine features a larger 3kg washing capacity and is the only machine in its class to offer an optional hot wash cycle using cold water (this feature adds approximately 20-40 min to the cycle time). And our exclusive LED drum light will help you find that missing sock!

FEATURES:

- Economical cold water washing with hot wash option
- Blue LED display with wash time remaining function
- 6 washing program combinations
- High and low water level adjustment for large and small loads
- Precision stainless steel wash tub
- Clothes basket doubles as a tub stabiliser
- LED drum light
- Securing strap and basket included

SPECIFICATIONS:

- 240V operation
- Power consumption: 235W (cold) 1035W (hot)
- Load capacity 3.0kg
- Dimensions: 470mm(w) x 820mm(h) x 465mm(d)
- Water Usage: Approx 20L on low and 26L on high
- Weight: 18kg
- Spin cycle speed: 900 RPM



CAMEC COMPACT RV 2.5KG WASHING MACHINE
041133

Ideal for caravans and motorhomes, this easy to use fully automatic RV washing machine offers washing convenience wherever your travels take you. Featuring simple controls and flexible washing modes, you have the convenience of washing when you want.

FEATURES:

- Economical cold water washing
- Blue LED display with wash time remaining function
- 7 washing program combinations including Quick Wash
- High and low water level adjustment for large and small loads

SPECIFICATIONS:

- 240V operation
- Dimensions: 410mm(w) x 640mm(h) x 420mm(d)
- Water Usage: Approx 15L on low and 20L on high
- Weight: 16kg
- Spin cycle speed: 900 RPM



CAMEC COMPACT RV 3.2KG DRYER
041834

Ideal for caravans and motorhomes, this compact RV Dryer offers drying convenience wherever your travels take you. Featuring simple operation, it is the perfect partner for the Camec 4kg front load washing machine.

FEATURES:

- Specially designed to be mounted upside down if required providing the option of a left or right hand hinged door
- Low maintenance with easy to clean filters
- 850W 240V operation
- Rear venting with universal RV duct kit included

SPECIFICATIONS:

- Dimensions: 495mm(w) x 606mm(h) x 410mm(d)
- Weight: 17kg
- Voltage: 220-240V, 50/60Hz

WASHING MACHINE SPARE PARTS FOR COMPACT 2.5KG 041133



REPLACEMENT STABILISER BASKET - PART ID C2
041921



REPLACEMENT LID INCLUDING MAGNET - PART ID 2
041922



REPLACEMENT INLET HOSE - PART ID 80
041923



REPLACEMENT WATER LEVEL SENSOR - PART ID 7
041908



REPLACEMENT/MOUNTING BRACKET - PART ID C1
041920



DRAIN HOSE - PART ID 89
042798



PUMP HOSE HQ RUBBER - PART ID 93
042797



HOSE CLAMP - PART ID 94
042796



WATER INLET VALVE - PART ID 16
041912



SPIN SENSOR - PART ID 6
041907



PCB BOARD - PART ID 5
041906



MODE SWITCH - PART ID 55 T
041911



V-BELT - PART ID 65
041914



MOTOR - PART ID 68
041909



MOTOR PULLEY - PART ID 66
041919



REPLACEMENT BASE COVER - PART ID 31
041928



LID SPRING - PART ID 21
041915



DRAIN PUMP - PART ID 91
041913



AIR TRAP HOSE - PART ID 9
041918

CAPACITOR PART IT 73
041910

WASHING MACHINE SPARE PARTS FOR FRONT LOAD 4.0KG 042308



DRAIN HOSE - PART ID 142
043529



DAMPER ASSEMBLY - PART ID 250/251/256/281
043530



CONTROL PANEL - PART ID 31
043532



DOOR FRAME - PART ID 62
043533



FOOT ASSEMBLY - PART ID 80
043534



INLET VALVE - PART ID 134
043535



PRESS SWITCH - PART ID 153
043536



MOTOR - PART ID 161
043537



DOOR LOCK - PART ID 162
043538



DOOR SEAL - PART ID 271
043539



SUMP/DRAIN - PART ID 272
043540



TUB HOSE - PART ID 273
043541



HEAT ELEMENT - PART ID 286
043542



PULLEY - PART ID 290
043543



PCB - PART ID 328
043545



FILTER COVER - PART ID 604
043546



HINGE ASSEMBLY - PART ID 242B
043550



SPRINGS
043548 LEFT PART ID 242A
043549 RIGHT PART ID 242B



CONTROL KNOB - PART ID 10
043531



PUMP - PART ID 16
043547



BELT - PART ID 292
043544

DISPENSER DRAWER PART ID 101
043551

AIR CONDITIONING



HOUGHTON BELAIRE AIR CONDITIONERS

044874
044875 LED

The HB3400 is fitted with an ultra-low elegantly designed plenum that complements modern interiors. features easy to read LED display showing temperature and mode. Attractive streamlined canopy design to perfectly integrate with modern caravan and motorhome design.

Patented plenum air handler to ensure efficient and comfortable air flow. Patented primary and basic outlets which can be alternated to suit a variety of conditions. Patented air filter design makes it easy and convenient to remove and clean. A classical remote control with cooling, heating, dehumidifying, dry, sleep and timing functions.

Patented three speed, ultra-quiet, high efficiency fan. The large outdoor axial fan draws air to exchange heat, leading to highly efficient, powerful performance. Patented spiral retractable duct allows easy installation without cutting. Isolation eradicates condensation while optimizing power and performance. Super strong and lightweight UV stabilized polypropylene chassis and canopy able to withstand the toughest conditions.

Patented integrated outdoor fan grill is simple, aesthetically pleasing and safe. Excellent reverse cycle performance allows the HB3400 to operate in temperatures as low as minus 5 degrees Celsius and as high as 50 degrees Celsius. features intelligent defrosting technology. PTC Soft Start technology ensures operation with limited amps or generators.

SPECIFICATIONS:

- Power: 220-240V/50Hz
- Rated Cooling: 3.2kw
- Rated Heating: 2.8 kW
- Outdoor unit weight Gross/Nett: 46/39Kg
- Indoor unit weight Gross/Nett: 5/ 3Kg
- Rooftop cutting: 360mm x 360mm
- Outdoor unit Dimensions: 1122mm(l) x 850mm(w) x 223mm(d)
- Indoor unit Dimensions: 575mm(l) x 515mm(w) x 49mm(d)
- Tested cooling: 2730W/2554W
- Tested input power: 1380W/1192W



GASQUIP SPARE PARTS

000964 GASQUIP CONTROL KNOB (SA10, 19, 32

SUBURBAN HWS SPARE PARTS

002892 SUBURBAN GAS VALVE

002895 SUBURBAN ELECTRODE

000121 SUBURBAN ANODE ROD

VITRIFRIGO SPARE PARTS

000041 VITRIFRIGO ROD FOR SHELF 5060/75/90/C85

000604 VITRIFRIGO FLUSHMOUNT SURROUND
C39/42/45

000605 VITRIFRIGO FLUSHMOUNT SURROUND C60/75

000607 VITRIFRIGO FLUSHMOUNT SURROUND
C85/900

000613 VITRIFRIGO FRIDGE GLASS SHELF C85 - C900

000614 VITRIFRIGO FRIDGE GLASS SHELF
C115-C1200

000615 VITRIFRIGO THERMOSTAT & BOX FOR FREEZER

000616 VITRIFRIGO THERMOSTAT & BOX FOR FRIDGE

000617 VITRIFRIGO THERMOSTAT CONTROL FOR
DP150I

000908 VITRIFRIGO ICE BOX EVAPORATOR
C85/115/130

001172 VITRIFRIGO 230V ELEMENT FOR 3WAY
FRIDGE 5060/70/80

001182 VITRIFRIGO FRIDGE DOOR CATCH - NAUTIC

001191 VITRIFRIGO DOOR SHELF FOR C85I

001192 VITRIFRIGO LIGHT ASSEMBLY

001193 VITRIFRIGO DOOR & LINER COMPLETE FOR
C85I

001231 VITRIFRIGO REAR MOUNT BRACKET FOR
FRIDGE C130

001243 VITRIFRIGO LOWER BURNER JET FOR ALL 3
WAY FRIDGE

001246 VITRIFRIGO NOZZLE (JET) FOR DG VF5105 &
5090

001247 VITRIFRIGO CIRCUIT BOARD FOR 3 WAY
FRIDGE DG

001249 VITRIFRIGO POWER PACK FOR ALL DG
MODELS

001250 VITRIFRIGO THERMOCOUPLE FOR VF5150

001251 VITRIFRIGO 3 WAY FRIDGE THERMOCOUPLE

001263 VITRIFRIGO 3 WAY FRIDGE IGNITION MODULE

001566 VITRIFRIGO BOTTOM DOOR SHELF FOR C60I/
C75

001754 VITRIFRIGO SHELF DOOR C60/ C75 TOP
(NEW)

001868 VITRIFRIGO DRAWER SLIDES FOR DW70/C180
FRIDGE (PAIR)

001880 VITRIFRIGO PLATE WITH CHAIN & PIN COMBO

001910 VITRIFRIGO FREEZER DOOR FOR C62 FRIDGE

001920 VITRIFRIGO FRIDGE DOOR COMPLETE
FORVF5150-E

001921 VITRIFRIGO MOTOR & GEARBOX 115016 FOR
ICEMAKER

001934 VITRIFRIGO 230V ELEMENT FOR 3 WAY
FRIDGE 5075/90/105

001998 VITRIFRIGO FREEZER DOOR FOR C85I / C90I

002015 VITRIFRIGO FRIDGE DOOR COMPL S/S
C60IXPF

002024 VITRIFRIGO FREEZER DOOR FOR C60/C75
WHITE PLASTIC NEW MODEL

002029 VITRIFRIGO DOOR SHELF FOR C130L/C115/
DP2600/5105/5150

002060 VITRIFRIGO TOP BAR & PIN FOR NAUTIC
CATCH FOR C60

002065 VITRIFRIGO TOP BAR & PIN F/NAUTIC CATCH
FOR 115/1200/130

002093 VITRIFRIGO BULB,12V FOR FRIDGE

002103 VITRIFRIGO 12V ELEMENT FOR VTR 60-80P-
105

002104 VITRIFRIGO 12V ELEMENT FOR VF5150

002120 VITRIFRIGO THERMOSTAT ONLY FOR C60I/
C75L/C85I

002121 VITRIFRIGO INSERT FOR FRIDGE VENT,UPPER

002145 VITRIFRIGO 240V ELEMENT FOR VTR 150

002190 VITRIFRIGO THERMOSTAT FOR ICEMAKER

003203 VITRIFRIGO IGNITION CABLE FOR 3 WAY
FRIDGE

003297 VITRIFRIGO EVAP. PLATE C115/C130PLUS (U
TYPE)

003572 VITRIFRIGO WHITE IGNITION WIRE VF5060
(SQUARE) OLD

003657 VITRIFRIGO SENSOR FOR 3 WAY FRIDGES

003891 VITRIFRIGO DOOR HINGE FOR FRIDGE- UPPER

003893 VITRIFRIGO THERMOSTAT KNOB-COMPRESSOR
FRIDGE

003902 VITRIFRIGO HINGE T/S 3 WAY ICE BOX DOOR
LH & RH

003975 VITRIFRIGO DRIP TRAY T/S C130 FRIDGE

004015 VITRIFRIGO WIRE SHELF FOR INSIDE C60/
C75

004016 VITRIFRIGO WIRE SHELF FOR C115/ C130/
DP150

004018 VITRIFRIGO SHELF T/S VF5150 LARGE SHELF

004174 VITRIFRIGO METAL DOOR BAR T/S LOCK FOR
3 WAY FRIDGES

004192 VITRIFRIGO THERMOSTAT SUIT DW70 & DW80
FRIDGE

004228 VITRIFRIGO ICE MAKER IM MODEL CIRCUIT
BOARD

004239 VITRIFRIGO DOOR LOCK FOR 12/24V FR
BLACK DG & ETD MODELS

040911 VITRIFRIGO PART ONLY C75 CABINET ONLY
63.032P M0BC.75

041112 VITRIFRIGO C90I WIRE SHELF R11758

041695 VITRIFRIGO FIDDLE RAIL R12609

041766 VITRIFRIGO DOOR STAINLESS COMPLETE
R501.312X.1 SUIT C62IXPF

041773 VITRIFRIGO C45 DRAIN TRAY HOLDER

041901 VITRIFRIGO GAS PIPES 17024.DG + 128076.
DG SUIT NEW GAS VALVE

041902 VITRIFRIGO GAS PIPES 17028.DG + 128076.
DG SUIT NEW GAS VALVE

041903 VITRIFRIGO GAS PIPES 17029.DG + 128076.
DG SUIT NEW GAS VALVE

041904 VITRIFRIGO VF5060/5090 FRONT FASCIA SUIT
NEW GAS VALVE

041905 VITRIFRIGO VF5105/5150 FRONT FASCIA SUIT
NEW GAS VALVE

041972 VITRIFRIGO C42 C45 SHELF KIT INC 2
SHELVES

042334 VITRIFRIGO FRONT PANEL LAMP SUIT ALL 3
WAYS

042461 VITRIFRIGO C62IXPF S/S FLUSH MOUNT
SURROUND

042687 VITRIFRIGO JET/NOZZLE FOR VF5150ETD

042697 VITRIFRIGO BURNER FOR VF5150ETD

043018 VITRIFRIGO HINGE SUIT C41 & C65

043114 VITRIFRIGO C62 DRIP TRAY BRACKET

043115 VITRIFRIGO C62 FREEZER DOOR HINGES

043234 VITRIFRIGO C115I/C130 FREEZER DOOR
PLASTIC NEW 3 STARS INSULATED

043279 VITRIFRIGO THERMOSTAT C65C LED VERSION

043468 VITRIFRIGO USA62IX FITTING BASE SS

043528 VITRIFRIGO C60 AIRLOCK FREEZER DOOR

043910 VITRIFRIGO C60/90 AIRLOCK FRIDGE DOOR

043911 VITRIFRIGO C62 AIRLOCK FRIDGE DOOR

043912 VITRIFRIGO C85 AIRLOCK FRIDGE DOOR

043913 VITRIFRIGO C115/130 AIRLOCK DOOR

043914 VITRIFRIGO C85 AIRLOCK GLASS SHELF

043915 VITRIFRIGO C115 AIRLOCK GLASS SHELF

043916 VITRIFRIGO C130 AIRLOCK GLASS SHELF

043917 VITRIFRIGO C115/130/DP2600 AIRLOCK ROD
FOR DOOR SHELF

043918 VITRIFRIGO C85 AIRLOCK VEG BIN

043919 VITRI AIRLOCK VEGE/FRUIT VITRIFRIGO C115/
DP2600/C180 BIN

043920 VITRIFRIGO C130 AIRLOCK VEGE BIN

043969 VITRIFRIGO CIRCUIT BOARD COVER VF5090

044000 VITRIFRIGO DOOR SHELF FITS C42/45

044084 VITRIFRIGO WIRE SHELF KIT SUIT C85I